

# 济宁鲁科检测器材有限公司

—— 专注于无损检测、理化分析仪器 ——





# 合作伙伴

>>>

## 济宁鲁科

### 让最先进的检测方案更广泛的服务于社会





# 黑白密度片

测量最大黑度值:5.00, 光孔直径: 2mm

标配带有黑白密度片校准证书



# 黑度值



DV-9A密度片


编号 512976



	序号	黑度值		序号	黑度值
DV-9	1	0	DV-9A	1	0
	2	0.04		2	0.04
	3	0.98		3	1.03
	4	1.42		4	1.97
	5	2.03		5	2.47
	6	2.45		6	3.00
	7	3.02		7	4.03
	8	3.98		8	4.50
	9	4.48		9	4.97



# 校准证书







压力管道



压力容器



船舶工业



石油石化



航空航天



电力设备



工业制造



高校科研



钢结构



军工



核电



铁路



## 黑白密度片

### 一、功能特点：

- 1、辅助黑白密度计对比胶片黑度值；
- 2、九孔设计，符合国家标准，可定制 13 孔密度片，符合 ASME 标准；
- 3、0-4.5D 与 0-5.0D 可选；
- 4、带校准报告，为中国测试技术研究院统一计量检定。

### 二、技术参数

- 1、型号:DV-9:

黑度值：最高可达 4.5D；

阶数：9 阶；

- 2、型号:DV-9A:

黑度值：最高可达 5.0D；

阶数：9 阶；

- 3、型号：DV-8A13:

黑度值：最高可达 5.0D；

阶梯：13 阶；

- 4、标准：符合 ASME 标准。

### 三、配置清单：

- 1、黑白密度片 1 个；
- 2、密度片保护套 1 个；
- 3、计量检定报告 1 份。